



Catalogues and Products > Air-Conditioning > Accessories for Aesthetic Completion and Spare Parts >

**Aluminium Tape**

## ALUMINIUM TAPE

For fixing insulations

### Product informations

Self-adhesive aluminum and wired aluminum tape used for fixing, insulation and protection in heating, ventilation and air conditioning systems

### Product features

- used for joining fiberglass and rock wool felts
- the surface where the tape is applied must be degreased and dry
- reticulate and reinforced with glass-fibre

### Technical Features

<b>ANTICONDENSATION CLASS</b>	1
<b>USE TEMPERATURE</b>	<ul style="list-style-type: none"><li>• - 30°C ÷ + 80°C - <i>SKU R00844 / R00845 / R00846</i></li><li>• - 10°C ÷ + 40°C - <i>SKU 50978 / 50979</i></li></ul>



## Aluminium Tape

<b>THICKNESS</b>	<ul style="list-style-type: none"> <li>• H 50 MM X 50 M X THICKNESS 50 MICRON (30 MICRON ALUMINIUM + 20 MICRON ADHESIVE BACKING) - <b>SKU R00844</b></li> <li>• H 75 MM X 50 M X THICKNESS 50 MICRON (30 MICRON ALUMINIUM + 20 MICRON ADHESIVE BACKING) - <b>SKU R00845</b></li> <li>• H 50 MM X 50 M X THICKNESS 90 MICRON (50 MICRON ALUMINIUM + 40 MICRON ADHESIVE BACKING) - <b>SKU R00846</b></li> <li>• H 50 MM X 50 M X THICKNESS 180 MICRON WITH ADHESIVE-RESISTANT TEXTILE FIBRE BACKING - <b>SKU 50978</b></li> <li>• H 50 MM X 50 M X THICKNESS 140 MICRON WITH MESH BACKING AND ADHESIVE - <b>SKU 50979</b></li> </ul>
<b>ADHESION STRENGTH</b>	<ul style="list-style-type: none"> <li>• <math>\geq 18</math> N/25 MM - <b>SKU 50978</b></li> <li>• <math>\geq 16</math> N/25 MM - <b>SKU 50979</b></li> <li>• <math>\geq 13</math> N/25 MM - <b>SKU R00844</b></li> <li>• <math>\geq 15</math> N/25 MM - <b>SKU R00845</b></li> <li>• <math>\geq 13</math> N/25 MM - <b>SKU R00846</b></li> </ul>
<b>TENSILE STRENGTH</b>	<ul style="list-style-type: none"> <li>• <math>\geq 255</math> N/25 MM - <b>SKU 50978</b></li> <li>• <math>\geq 200</math> N/25 MM - <b>SKU 50979</b></li> <li>• <math>\geq 40</math> N/25 MM - <b>SKU R00844</b></li> <li>• <math>\geq 65</math> N/25 MM - <b>SKU R00845</b></li> <li>• <math>\geq 40</math> N/25 MM - <b>SKU R00846</b></li> </ul>
<b>ELONGATION</b>	<ul style="list-style-type: none"> <li>• 5% - <b>SKU 50978</b></li> <li>• 5% - <b>SKU 50979</b></li> <li>• 3% - <b>SKU R00844</b></li> <li>• 3% - <b>SKU R00845</b></li> <li>• 3% - <b>SKU R00846</b></li> </ul>
<b>SUITABLE TEMPERATURE</b>	<ul style="list-style-type: none"> <li>• -40 ~ 150°C - <b>SKU 50978</b></li> <li>• -10 ~ 65°C - <b>SKU 50979</b></li> <li>• -20 ~ 100°C - <b>SKU R00844</b></li> <li>• -20 ~ 100°C - <b>SKU R00845</b></li> <li>• -20 ~ 100°C - <b>SKU R00846</b></li> </ul>



## Aluminium Tape

SKU	MODEL	PRICE
00000050979	ALUMINUM TAPE - H 50 MM X 50 M X THICKNESS 140 MICRON WITH MESH BACKING AND ADHESIVE	€10.5 VAT EXCLUDED
00000R00844	ALUMINUM TAPE - H 50 MM X 50 M X THICKNESS 50 MICRON	€9.45 VAT EXCLUDED
00000R00845	ALUMINUM TAPE - H 75 MM X 50 M X THICKNESS 50 MICRON	€14.7 VAT EXCLUDED
00000050978	ALUMINUM TAPE - H 50 MM X 50 X THICKNESS 180 MICRON WITH ADHESIVE-RESISTANT TEXTILE FIBRE BACKING	€12.6 VAT EXCLUDED
00000R00846	ALUMINUM TAPE - H 50 MM X 50 M X THICKNESS 90 MICRON	€9.45 VAT EXCLUDED

