

Box for Gas Meters



Catalogues and Products > Heating > Boxes and Doors for Gas Meters > **Box for Gas Meters**

BOX FOR GAS METERS

Box for gas meters with fiberglass door

Product informations

Box for gas meters with anti-UV treated fiberglass door, frame and structure in galvanized sheet metal; designed to house gas measuring units with a volumetric flow rate up to 6 m³/h.

Product features

- galvanized sheet metal body and embossed SMC access door (bass-relief texture)
- RAL 7001 gray colour
- excellent mechanical resistance to impact, atmospheric agents and UV rays
- opening and closing of the box through the 1/4 turn lock, with the supplied square profile key
- easy, fast and safe assembly thanks to the folding flap system
- backrest included
- it can be installed on the wall, inside a niche or fixed to a fence, thanks to the components with rounded edges to ensure maximum safety when using the product

Furthermore, our products are supplied in assembly kits enclosed in a practical cardboard box which optimizes storage space and protects boxes and doors from dents and scratches.

Technical Features

SKU 50850		
COMPONENT MATERIAL	SMC	



Page: 1







SKU 50850		
FIRE REACTION CLASS	1 ACCORDING TO UNI 9177	
COLORING	RAL 7001	
DEGREE OF PROTECTION	IP 20 (NOT PROTECTED AGAINST THE INGRESS OF LIQUIDS, ONLY PROTECTED AGAINST THE INGRESS OF SOLID OBJECTS LARGER THAN Ø 12 MM), ACCORDING TO CEI 60529	
IMPACT RESISTANCE	IK 08 ACCORDING TO CEI 62262	
VENTILATION SECTION	11 000 MM ²	
RADIO FREQUENCY ATTENUATION	< 2 DBM	
FRAME DIMENSIONS	560 X 325 X 300 MM	
DOOR DIMENSIONS	520 X 290 MM	
WEIGHT	4,00 KG	

SKU 50853		
DOOR MATERIAL	SMC - FIBERGLASS	
FIRE REACTION CLASS	≤ 1 ACCORDING TO UNI 9177	
COLORING	RAL 7001	
BATTERY INSTALLATION	SUITABLE	
IMPACT RESISTANCE	IK 10 ACCORDING TO CEI 62262	
VENTILATION SECTION	≥ 10% PLAN AREA	









SKU 50853		
RADIO FREQUENCY ATTENUATION	≤ 2 DBM	
FRAME DIMENSIONS	560 X 405 X 300 MM	
DOOR DIMENSIONS	520 X 290 MM	
WEIGHT	7,00 KG	

SKU 50856		
DOOR MATERIAL	SMC - FIBERGLASS	
FIRE REACTION CLASS	≤ 1 ACCORDING TO UNI 9177	
COLORING	RAL 7001	
BATTERY INSTALLATION	SUITABLE	
IMPACT RESISTANCE	IK 10 ACCORDING TO CEI 62262	
VENTILATION SECTION	≥ 10% PLAN AREA	
RADIO FREQUENCY ATTENUATION	≤ 2 DBM	
FRAME DIMENSIONS	630 X 520 X 300 MM	
DOOR DIMENSIONS	585 X 490 MM	
WEIGHT	10,70 KG	

SKU	MODEL	PRICE
00000050850	BOX - 560 X 325 X 300 MM - 4,00 KG	€125.3 VAT EXCLUDED
00000050853	BOX - 560 X 405 X 300 MM - 7,00 KG	€186.9 VAT EXCLUDED
00000050856	BOX - 630 X 520 X 300 MM - 10,70 KG	€267.05 VAT EXCLUDED





Box for Gas Meters





