CARTRIDGE WELDER

With piezo ignition

Product informations

Welder with match or piezo ignition with anatomical handle, suitable for soft and strong welding up to 1.750°C.

Product features

- equipped with a high-performance OT Ø 21 mm burner
- suitable for small repairs, bricolage, plastic bending and welding, paint stripping and wood drying
- quick and easy welding

WELDER STRUCTURE	
1	LOWER CARTRIDGE HOLDER
1A	IRON CARTRIDGE HOLDER
2	GASKET
3	UPPER CARTRIDGE HOLDER
3A	HAIRSPRING
4	ADJUSTING KNOB
5	HANDLE
6	INJECTOR

TECNOGAS
I percorsi della tecnologia.

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

WELDER STRUCTURE	
7	AIR ADJUSTMENT RING
8	BURNER Ø 21 MM
9	POWER BUTTON
10	PIEZO STAND
11	PIEZO IGNITION ELECTRODE

Technical Features

PRODUCT	GAS WELDER
TYPE	PLASTIC CARTRIDGE HOLDER
GASES OF USE	BUTANE IN 190 G CARTRIDGE
APPROVAL / RULE	*DVGW / EN 521 + EN 417*
DURATION / AVERAGE GAS CONSUMPTION	2,5 HOURS / 73 GR/H
MAXIMUM FLAME TEMPERATURE	1750°C
TYPE OF IGNITION	PIEZO ELECTRIC
FLAME DIFFUSION SYSTEM	BURNER WITH INTEGRATED FLAME-SPREADER MESH
WEIGHT	0,66 KG

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Cartridge Welder


SKU	MODEL	PRICE
00000030440	PIEZO IGNITION WELDER	€53.8 VAT EXCLUDED











Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net