



Catalogues and Products > Riscaldamento > Contatori per Acqua > **Cold Water Meter**

COLD WATER METER

Multiple jet cold water meter with protected rolls

Product informations

Cold water meter with sealed capsule and multiple jet with protected rolls.

Product features

- in sealed capsule
- multiple jet
- MID homologated
- class C
- complete with fittings and metric stamp

Technical Features

<i>SKU 70450</i>	
<i>MAX CAPACITY</i>	3 M ³ /H
<i>NORMAL CAPACITY</i>	1,5 M ³ /H
<i>MINIMUM CAPACITY</i>	30 L/H
<i>MINIMUM READING</i>	0,05 L/H
<i>MAX PRESSURE</i>	16 BAR
<i>WORKING TEMPERATURE</i>	0 ÷ 30°C



Cold Water Meter

SKU 70450	
DIAMETER	Ø 1/2"
LENGTH	145 MM

SKU 70451	
MAX CAPACITY	5 M ³ /H
NORMAL CAPACITY	2,5 M ³ /H
MINIMUM CAPACITY	50 L/H
MINIMUM READING	0,05 L/H
MAX PRESSURE	16 BAR
WORKING TEMPERATURE	0 ÷ 30°C
DIAMETER	Ø 3/4"
LENGTH	190 MM

SKU 70452	
MAX CAPACITY	7 M ³ /H
NORMAL CAPACITY	3,5 M ³ /H
MINIMUM CAPACITY	70 L/H
MINIMUM READING	0,05 L/H
MAX PRESSURE	16 BAR
WORKING TEMPERATURE	0 ÷ 30°C



Cold Water Meter

<i>SKU 70452</i>	
<i>DIAMETER</i>	Ø 1"
<i>LENGTH</i>	260 MM

<i>SKU 70454</i>	
<i>MAX CAPACITY</i>	20 M ³ /H
<i>NORMAL CAPACITY</i>	10 M ³ /H
<i>MINIMUM CAPACITY</i>	200 L/H
<i>MINIMUM READING</i>	0,05 L/H
<i>MAX PRESSURE</i>	16 BAR
<i>WORKING TEMPERATURE</i>	0 ÷ 30°C
<i>DIAMETER</i>	Ø 1"1/2
<i>LENGTH</i>	300 MM

<i>SKU 70455</i>	
<i>MAX CAPACITY</i>	30 M ³ /H
<i>NORMAL CAPACITY</i>	15 M ³ /H
<i>MINIMUM CAPACITY</i>	450 L/H
<i>MINIMUM READING</i>	0,05 L/H
<i>MAX PRESSURE</i>	16 BAR
<i>WORKING TEMPERATURE</i>	0 ÷ 30°C



Cold Water Meter

SKU 70455	
DIAMETER	Ø 2"
LENGTH	300 MM

SKU	MODEL	PRICE
00000070450	COLD WATER METER - L. 145 MM - Ø 1/2"	€120.2 VAT EXCLUDED
00000070451	COLD WATER METER - L. 190 MM - Ø 3/4"	€155.7 VAT EXCLUDED
00000070452	COLD WATER METER - L. 260 MM - Ø 1"	€270.8 VAT EXCLUDED
00000070453	COLD WATER METER - L. 260 MM - Ø 1"1/4	€333.85 VAT EXCLUDED
00000070454	COLD WATER METER - L. 300 MM - Ø 1"1/2	€591.4 VAT EXCLUDED
00000070455	COLD WATER METER - L. 300 MM - Ø 2"	€733.1 VAT EXCLUDED

