CONDENSATION DISCHARGE PUMP NUVOLA 2.0

For nebulised condensate drain

Product informations

NUVOLA 2.0, the condensate drain pump that can be supplied with a nebulized drain that allows the condensation of the air conditioners to be disposed of towards the outside, by nebulizing the water into particles that dissolve in the air up to a distance of 50 m. Its operation does not require an exhaust system and is completely automatic, being equipped with a microprocessor it is able to adapt optimally to the operation of the air conditioner.

Product features

- easy installation
- permanently eliminates the problem of draining condensation generated by the air-conditioning system
- has a fully automatic operation, through the microprocessor it is able to optimally adapt to the operation of the air conditioner
- can be installed on the outdoor unit, as it is rainproof
- low consumption

PUMP STRUCTURE	
1	ELECTRONIC CONTROL CARD
2	FIREPROOF HIGH PRESSURE PUMP
3	STORAGE TANK

TECNOGAS
I percorsi della tecnologia.

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

PUMP STRUCTURE	
4	LEVEL SENSOR

The kit includes

- *NUVOLA 2.0* pump
- inspectable nebulizer nozzle
- 1,5 m polyethylene pipe Ø 4,6 mm
- bracket for nebulizer nozzle
- wall plugs kit for wall mounting
- hose clamp 2,4 x 200 mm
- anti-impurity filter (2 pcs)
- adapter for corrugated pipe

MAINTENANCE KIT

A maintenance kit for restoring functionality is also available and includes:

- isophonic panel (1 pcs)
- inspectable metal nozzles (2 pcs)
- polyethylene pipe 6x4 (5 m)
- spare filter set (5 pcs)
- rotating elbow (1 pcs)
- pipe clamps (2 pcs)

Technical Features

VOLTAGE/FREQUENCY	220-240 V / 50 HZ
TYPE	PRESSURE ATOMIZING CONDENSATE DISPENSER

TECNOGAS
I percorsi della tecnologia.
Via Marco Polo 33
35020 Albignasego
Padova – Italy
P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Condensation Discharge Pump NUVOLA 2.0

MAXIMUM TANK CAPACITY	275 ML
USEFUL TANK CAPACITY	219 ML
DISPENSING RATE	2.5 L/H CON UGELLO
MAXIMUM ATOMIZING PRESSURE	8 BAR
WEIGHTED ENERGY CONSUPTION	50 W CYCLE / 0.5 W STANDBY
NOISE LEVEL	60 DB(A)
MOTOR	VIBRATION PUMP
INSTALLATION	FREE-STANDING INSTALLATION
DIMENSIONS	158 X 160 X 69 MM (LXHXW)
WEIGHT	1340 G

SKU	MODEL	PRICE
00000011932	NUVOLA 2.0 CONDENSATING DISCHARGE PUMP	€304.5 VAT EXCLUDED
00000011933	TRANSPARENT PIPE ROLL - 50 M - Ø 6X4 MM	€147.0 VAT EXCLUDED
00000011934	TRANSPARENT PIPE ROLL - 10 M - Ø 6X4 MM	€28.25 VAT EXCLUDED
00000011935	MAINTENANCE KIT FOR NUVOLA PUMP	€126.65 VAT EXCLUDED







Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Condensation Discharge Pump NUVOLA 2.0











Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net