



Catalogues and Products > Riscaldamento > Contatori Gas, Mensole e Accessori per Contatori > **Deformable Side Volumetric Gas Meter**

DEFORMABLE SIDE VOLUMETRIC GAS METER

Class G 6 – G 10

Product informations

Volumetric gas meter with the ability to operate correctly in different flow rates and offer precise measurement; indeed, unlike other domestic meters, this meter is able to account for even the most significant flow rates.

Also available the cable with REED for pulse emitter.

Product features

- membrane in synthetic material
- excellent resistance to corrosion and high temperatures
- can be installed outdoors
- low noise

Technical Features

MAXIMUM WORKING PRESSURE	500 MBAR
ACCURACY CLASS	1,5
MAXIMUM CAPACITY	<ul style="list-style-type: none"> • Q_{MAX} 10 M³/H - SKU 50402 • Q_{MAX} 16 M³/H - SKU 50402A



Deformable Side Volumetric Gas Meter

MINIMUM CAPACITY	<ul style="list-style-type: none"> • $Q_{\text{MIN}} 0,06 \text{ M}^3/\text{H}$ - SKU 50402 • $Q_{\text{MIN}} 0,10 \text{ M}^3/\text{H}$ - SKU 50402A
OPERATING TEMPERATURE	<ul style="list-style-type: none"> • $-25^{\circ}\text{C} \div +55^{\circ}\text{C}$ - SKU 50402 • $-25^{\circ}\text{C} \div +40^{\circ}\text{C}$ - SKU 50402A
INLET CONNECTION	<ul style="list-style-type: none"> • 1 1/4" M - SKU 50402 • 2" M - SKU 50402A
OUTPUT CONNECTION	<ul style="list-style-type: none"> • 1 1/4" M - SKU 50402 • 2" M - SKU 50402A
MATERIAL	CASE IN GALVANIZED SHEET STEEL
WEIGHT	<ul style="list-style-type: none"> • 3,300 KG - SKU 50402 • 8 KG - SKU 50402A

OVERALL DIMENSIONS					
SKU	A	B	C	E	F
50402	250 MM	246,5 MM	74,15 MM	94,25 MM	341 MM
50402A	250 MM	308 MM	130 MM	140 MM	415 MM

SKU	MODEL	PRICE
00000050402	VOLUMETRIC GAS METER WITH DEFORMABLE SIDE G 6 CLASS - 1" 1/4 M CONNECTIONS	€277.35 VAT EXCLUDED
0000050402A	VOLUMETRIC GAS METER WITH DEFORMABLE SIDE G 10 CLASS - 2" M CONNECTIONS	€831.95 VAT EXCLUDED
0000050420E	TWIN WIRE G10 ÷ G65	€70.0 VAT EXCLUDED



Deformable Side Volumetric Gas Meter



MOD. G10

MOD. G5

