



## HYDRAULIC CRIMPING TOOL

For FastPipe® SYSTEM

### Product informations

Manual or battery-operated hydraulic crimping machine that achieves 64kN clamping force to crimp the **FastPipe® Fitting Kit** and proceed to connect the air conditioning units.

- Manual crimping tool Mod. **HP64 (SKU 11960)**, an oil-driven, lightweight, handy tool with small overall dimensions; thanks to its limited angular opening of the movable handle equipped with automatic return, the operator can make the approach of the connector dies with one hand, employing the other for positioning.
- Automatic crimping tool Mod. **STILO64 (SKU 11959)**, battery-powered portable tool with hydraulic two-speed system, the first fast approach speed and the second slower power speed ensuring optimal use of available energy; equipped with maximum pressure sensor and safety valve.

### Technical Features

<i>MANUAL CRIMPING MACHINE SKU 11960</i>	
<i>CRIMPING FORCE</i>	64 KN
<i>RATED OPERATING PRESSURE</i>	710 BAR



## Hydraulic Crimping Tool

<b>MANUAL CRIMPING MACHINE SKU 11960</b>	
<b>OPERATING SPEED</b>	<ul style="list-style-type: none"> <li>• RAPID ADVANCEMENT OF THE PISTON</li> <li>• SLOW WORK</li> </ul> SWITCHING FROM ONE TO THE OTHER IS AUTOMATIC
<b>SAFETY</b>	MAXIMUM PRESSURE VALVE
<b>DIMENSIONS</b>	395X172 MM (HXW)
<b>WEIGHT</b>	2,6 MM

<b>AUTOMATIC CRIMPING MACHINE SKU 11959</b>	
<b>RATED CRIMPING FORCE</b>	64 KN
<b>MAXIMUM LIFT</b>	16 MM
<b>BATTERY VOLTAGE</b>	18 V
<b>BATTERY TYPE</b>	LI-ION 18V-2AH (RA20)
<b>BATTERY CHARGING TIME</b>	30 MINUTES
<b>CROSS-SECTION FOR CRIMPING</b>	6 - 240 MM <sup>2</sup>
<b>OPERATING TEMPERATURE</b>	- 10°C ÷ + 40°C
<b>DIMENSIONS</b>	380X126X82 MM (LXHXP)
<b>WEIGHT</b>	3,1 KG (BATTERY INCLUDED)



## Hydraulic Crimping Tool

SKU	MODEL	PRICE
00000011960	MANUAL HYDRAULIC CRIMPING TOOL MOD. HT51D-TG FOR FASTPIPE®	€2517.9 VAT EXCLUDED
00000011959	BATTERY-POWERED HYDRAULIC CRIMPING TOOL MOD. STILO64 FOR FASTPIPE®	€4550.65 VAT EXCLUDED

