

Curved Threaded and Coated Transition Fitting for Water



Catalogues and Products > Riscaldamento > Tecnogiunti > **Curved Threaded and Coated Transition Fitting for Water** 

## CURVED THREADED AND COATED TRANSITION FITTING FOR WATER

Threaded and coated version

## Product informations

Transition techno-joint designed to allow the transition from a plastic (polyethylene) system to a metal one, to allow water distribution systems to exit the ground. The joints of polyethylene pipes to metal pipes are made by means of a threaded connection for the conveyance of pressurized water, drainage and sewers.

Joints with different diameters are supplied on request.

## **Technical Features**

| MATERIALS                 | • STEEL PIPE COMPLIANT WITH THE UNI EN 10255 STANDARD, TRIPLE<br>LAYER COATED ACCORDING TO UNI 9099 - POLYCOAT<br>• PE100 SHANK SDR 11 (PN16)  |  |  |
|---------------------------|--|--|--|
| THREADING                 | EXTERNAL THREAD (TAPERED MALE), ACCORDING TO EN10226-1 (R)   |  |  |
| NORMATIVE<br>REQUIREMENTS | <ul> <li>UNI EN 12201-3: PLASTIC PIPING SYSTEMS FOR WATER DISTRIBUTION,<br/>SEWAGE AND PRESSURIZED SEWAGE - POLYETHYLENE (PE)</li> <li>UNI 9736: FITTINGS MANUFACTURED WITH MIXED METAL-<br/>POLYETHYLENE JOINT FOR USE IN COMBUSTION OF COMBUSTIBLE<br/>GASES, WATER AND OTHER FLUIDS UNDER PRESSURE AND METAL-<br/>POLYPROPYLENE FOR USE IN CONDUCTS FOR WATER AND OTHER<br/>FLUIDS UNDER PRESSURE</li> <li>ISO 17885: PLASTIC PIPING SYSTEMS - MECHANICAL FITTINGS FOR<br/>PRESSURE PIPING SYSTEMS</li> </ul> |  |  |



Viale L. Da Zara 10 35020 Albignasego Padova – Italy P.IVA: 03859580288 Tel: +39 049 8625910 Mail: info@tecnogas.net Page: 1



## Curved Threaded and Coated Transition Fitting for Water



| OPERATING   | 20°C |
|-------------|------|
| TEMPERATURE |      |
|             |      |

| CI/LI | PE DIAMETER | DN     |      |                   | DACKACING |
|-------|-------------|--------|------|-------------------|-----------|
| SKU   |             | 11     | MM   | KG (SINGLE PIECE) | PACKAGING |
| 20480 | 25 MM       | 3/4"   | 26,9 | 1,90              | 12 PCS.   |
| 20481 | 32 MM       | 1"     | 33,7 | 2,90              | 10 PCS.   |
| 20482 | 40 MM       | 1" 1/4 | 42,4 | 3,60              | 8 PCS.    |
| 20483 | 50 MM       | 1" 1/2 | 48,3 | 4,90              | 6 PCS.    |
| 20484 | 63 MM       | 2"     | 60,3 | 6,90              | 6 PCS.    |

| SKU         | MODEL   | PRICE               |  |
|-------------|---|---------------------|--|
| 0000020480  | THREADED AND COATED CURVED TRANSITION<br>FITTING - DN 3/4" - PE-D 25 MM   | €68.35 VAT EXCLUDED |  |
| 00000020481 | THREADED AND COATED CURVED TRANSITION<br>FITTING - DN 1" - PE-D 32 MM     | €78.7 VAT EXCLUDED  |  |
| 0000020482  | THREADED AND COATED CURVED TRANSITION<br>FITTING - DN 1" 1/4 - PE-D 40 MM | €86.95 VAT EXCLUDED |  |
| 0000020483  | THREADED AND COATED CURVED TRANSITION<br>FITTING - DN 1" 1/2 - PE-D 50 MM | €97.3 VAT EXCLUDED  |  |
| 0000020484  | THREADED AND COATED CURVED TRANSITION<br>FITTING - DN 2" - PE-D 63 MM     | €118.0 VAT EXCLUDED |  |



Viale L. Da Zara 10 35020 Albignasego Padova – Italy P.IVA: 03859580288 Tel: +39 049 8625910 Mail: info@tecnogas.net Page: 2



Curved Threaded and Coated Transition Fitting for Water







Viale L. Da Zara 10 35020 Albignasego Padova – Italy P.IVA: 03859580288 Tel: +39 049 8625910 Mail: info@tecnogas.net Page: 3