DEAERATOR FOR SOLAR SYSTEMS

High flow deaerator with side connections

Product informations

Deaerator designed for the continuous elimination of the air (even the micro-bubbles) contained in solar systems in a completely automatic way, ensuring optimal operation of the system without problems of noise, corrosion, overheating or mechanical damage.

Product features

- installation is particularly recommended after the boiler, on the suction side of the pump, where microscopic bubbles are more likely to form
- they are built to allow maintenance and cleaning without removing the valve body from the pipe
- the filter screen can be cleaned simply by unscrewing the upper part of the body containing the automatic air purge valve

Technical Features

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

MATERIAL	• BODY AND COVER: CW 617 N - UNI EN 12165 BRASS • FLOAT: POLYMETHYL PENTENE • INTERNAL ELEMENTS: STAINLESS STEEL • FLOATING GUIDE AND OBTURATOR ROD: UNI EN 12164 CW614N BRASS • FLOATING LEVER AND SPRING: STAINLESS STEEL • HYDRAULIC SEALS: PEROXIDE EPDM (HIGH RESISTANCE)
COMPATIBLE FLUIDS	WATER AND GLYCOL SOLUTIONS MAX 50%
WORKING TEMPERATURE	- 30°C ÷ 160°C
MAX WORKING PRESSURE	10 BAR
MAX DISCHARGE PRESSURE	10 BAR

SKU	*A*	*B*	*C*	*D*	*E*
70971	3/4" F	82 MM	55 MM	141 MM	173,5 MM
70972	1" F	82 MM	55 MM	141 MM	173,5 MM
70973	1" 1/4 F	90 MM	55 MM	164,5 MM	210,5 MM
70974	1" 1/2 F	90 MM	55 MM	164,5 MM	210,5 MM

SKU	MODEL	PRICE
00000070971	DEAERATOR - 3/4" F	**€100.65 VAT EXCLUDED**

TECNOGAS
I percorsi della tecnologia.


Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Deaerator for Solar Systems

SKU	MODEL	PRICE
00000070972	DEAERATOR - 1" F	€105.7 VAT EXCLUDED
00000070973	DEAERATOR - 1" 1/4 F	€159.55 VAT EXCLUDED
00000070974	DEAERATOR - 1" 1/2 F	€164.65 VAT EXCLUDED





Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net