



Catalogues and Products > Heating > Gas Taps and Valves > **Horizontal Gas Taps**

## HORIZONTAL GAS TAPS

Model for LPG or Methane

### Product informations

Horizontal taps for natural gas or LPG equipped with hose nozzle, available with male or female connection.

<i>TAP STRUCTURE (SKU 4201 / 4201A)</i>		
1	<b>BODY</b>	NICKEL PLATED BRASS CW617N - UNI EN 12165/98
2	<b>SLEEVE</b>	NICKEL PLATED BRASS CW617N - UNI EN 12165/98
3	<b>SEAT</b>	PTFE
4	<b>BALL</b>	CHROME PLATED BRASS CW614N - UNI EN 12164/98
5	<b>O-RING</b>	NBR
6	<b>BEAM</b>	BRASS CW 614N - UNI EN 12164/98
7	<b>HANDLE</b>	PAINTED ALUMINUM
8	<b>SCREW</b>	GALVANIZED STEEL

<i>STRUTTURA RUBINETTO (SKU 4208 / 4209)</i>		
1	<b>BODY</b>	NICKEL PLATED BRASS CW617N - UNI EN 12165/98
2	<b>SLEEVE</b>	NICKEL PLATED BRASS CW617N - UNI EN 12165/98



## Horizontal Gas Taps

3	<b>SEAT</b>	PTFE
4	<b>BALL</b>	CHROME PLATED BRASS CW614N - UNI EN 12164/98
5	<b>O-RING</b>	NBR
6	<b>BEAM</b>	BRASS CW 614N - UNI EN 12164/98
7	<b>HANDLE</b>	PAINTED ALUMINUM
8	<b>SCREW</b>	GALVANIZED STEEL

## Technical Features

<b>TYPE OF GAS</b>	LPG - <i>SKU 4201 / 4208</i> METHANE - <i>SKU 4201A / 4209</i>
<b>OPERATING TEMPERATURE</b>	- 20°C ÷ + 60°C
<b>OPERATING PRESSURE</b>	5 BAR
THE VALVE MUST BE KEPT IN THE OPEN OR CLOSED POSITION, AVOID INTERMEDIATE POSITIONS	
<b>CONNECTION</b>	F O M (THREAD UNI ISO 228/1)

<b>SKU</b>	<b>Ø CONNECTION</b>	<b>A</b>	<b>H</b>	<b>L</b>
4201	1/2" M	15 MM	38 MM	77 MM
4201A	1/2" M	15 MM	38 MM	77 MM
4208	1/2" F	15 MM	38 MM	77 MM
4209	1/2" F	15 MM	38 MM	77 MM



## Horizontal Gas Taps

SKU	MODEL	PRICE
00000004201	HORIZONTAL TAP FOR LPG - 1/2" M	€18.9 VAT EXCLUDED
00000004208	HORIZONTAL TAP FOR LPG - 1/2" F	€20.0 VAT EXCLUDED
00000004209	HORIZONTAL TAP FOR METHANE - 1/2" F	€19.05 VAT EXCLUDED
0000004201A	HORIZONTAL TAP FOR METHANE - 1/2" M	€19.4 VAT EXCLUDED

