INDIRECTLY OPERATED WATER SOLENOID VALVE

Model 7321B PARKER NC

Product informations

Indirectly operated normally closed solenoid valve for applications in the industrial and process markets, to be installed when precise and reliable water control is required; consisting of a brass body and a stainless steel operator rated for millions of life cycles. This product can optimize the total ownership costs in a broad range of heavy duty and high demanding applications in safe or harsh environment including ATEX.

Supplied without coil.

Product features

- anti water hammer effect
- applications in firefighting, irrigation, water distribution, cooling and air conditioning

Technical Features

SKU	CONNECTION	PASSAGE DIMENSIONS	MATERIALS	FLOW COEFFICIENT (L/MIN)	DIFFERENTIAL PRESSURE		GASKET	FLUID TEMPERATURE		FLOW RATE (M^3/H)
					MIN AC / DC	MAX AC / DC		MIN	MAX	
503445	G 3/8"	Ø 13 MM	BODY: BRASS POSITION: BRASS	50 L/MIN	0.1 BAR	20 BAR	NBR	- 10°C	+ 90°C	3 M^3/H

TECNOGAS
I percorsi della tecnologia.

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Indirectly Operated Water Solenoid Valve

503446	G 1/2"	Ø 13 MM	BODY: BRASS POSITION: BRASS	50 L/MIN	0.1 BAR	20 BAR	NBR	- 10°C	+ 90°C	3 M^3/H
503447	G 3/4"	Ø 20 MM	BODY: BRASS POSITION: BRASS	140 L/MIN	01 BAR	20 BAR	NBR	- 10°C	+ 90°C	8.4 M^3/H
503448	G 1"	Ø 25 MM	BODY: BRASS POSITION: BRASS	160 L/MIN	0.1 BAR	20 BAR	NBR	- 10°C	+ 90°C	9.6 M^3/H
503449	G 1" 1/4	Ø 35 MM	BODY: BRASS POSITION: BRASS	420 L/MIN	0.1 BAR	10 BAR	NBR	- 10°C	+ 90°C	25.2 M^3/H
503450	G 1" 1/2	Ø 40 MM	BODY: BRASS POSITION: BRASS	500 L/MIN	0.1 BAR	10 BAR	NBR	- 10°C	+ 90°C	30 M^3/H
503451	G 2"	Ø 50 MM	BODY: BRASS POSITION: BRASS	620 L/MIN	0.1 BAR	10 BAR	NBR	- 10°C	+ 90°C	37.2 M^3/H
503452	G 2" 1/2	Ø 65 MM	BODY: BRASS POSITION: BRASS	1100 L/MIN	0.2 BAR	10 BAR	NBR	- 10°C	+ 90°C	66 M^3/H
503453	G 3"	Ø 75 MM	BODY: BRASS POSITION: BRASS	1334 L/MIN	0.2 BAR	10 BAR	NBR	- 10°C	+ 90°C	80 M^3/H

SKU	MODEL	PRICE
00000503445	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 3/8"	€97.4 VAT EXCLUDED
00000503446	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 1/2"	€80.75 VAT EXCLUDED

TECNOGAS
I percorsi della tecnologia.
Via Marco Polo 33
35020 Albignasego
Padova – Italy
P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Indirectly Operated Water Solenoid Valve

SKU	MODEL	PRICE
00000503447	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 3/4"	€119.95 VAT EXCLUDED
00000503448	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 1"	€146.9 VAT EXCLUDED
00000503449	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 1" 1/4	€396.05 VAT EXCLUDED
00000503450	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 1" 1/2	€435.6 VAT EXCLUDED
00000503451	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 2"	€539.35 VAT EXCLUDED
00000503452	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 2" 1/2	€1940.15 VAT EXCLUDED
00000503453	SOLENOID VALVE FOR WATER MOD. 7321B PARKER NC - 3"	€1940.15 VAT EXCLUDED



Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net