



LPG TANK KIT

Model complete with 1ST stage and 2ND stage regulator

Product informations

Underground LPG tank kit complete with a *1ST stage* regulator that provides for reducing the gas pressure from the value present inside the tank to a value of about 1,5 bar and a *2ND stage* regulator that provides for further reducing the gas pressure from the value of 1.5 bar to the value of about 30-40 mbar, a pressure suitable for domestic equipment. In the structure of this kit, the dielectric joint is inserted after the *II° Stage* regulator to isolate the metal mass of the tank from the system.

STRUCTURE KIT SKU 13020	
A	1ST STAGE HIGH PRESSURE REDUCER WITH SAFETY VALVE AND PRESSURE GAUGE
B	COPPER MANIFOLD COMPLETE WITH CONNECTION
C	2ND STAGE REGULATOR
D	"L" CONNECTION
E	DIELECTRIC JOINT
F	BALL VALVE

STRUCTURE KIT SKU 13022	
A	1ST STAGE REDUCER WITH SAFETY VALVE AND PRESSURE GAUGE



STRUCTURE KIT SKU 13022	
<i>B</i>	COPPER MANIFOLD PIPE WITH WELDED FITTINGS
<i>C</i>	2ND STAGE REGULATOR WITH RELIEF VALVE
<i>D</i>	BALL VALVE
<i>E</i>	DIELECTRIC JOINT

Technical Features

FLOW RATE 1ST STAGE REGULATOR	40 KG/H
FLOW RATE 2ND STAGE REGULATOR	10 KG/H
INLET CONNECTION	NUT W20LH-25-UNI
OUTLET CONNECTION	<ul style="list-style-type: none"> • F G1/2RH - SKU 13020 • M G1/2RH - SKU 13022
OUTLET PRESSURE REGULATOR 1ST STAGE	1.5 BAR
OUTLET PRESSURE REGULATOR 2ND STAGE	30 MBAR
SAFETY VALVE SETTING	4 BAR
DIELECTRIC INSULATING JOINT	<ul style="list-style-type: none"> • DN 1/2" - PN 10 • MAXIMUM WORKING TEMPERATURE: 70°C
BALL VALVE	DN 15 - PN 25
PRESSURE GAUGE RANGE	4 BAR



LPG Tank Kit

TYPE OF TANK	<ul style="list-style-type: none"> • HORIZONTAL UNDERGROUND - SKU 13020 • VERTICAL UNDERGROUND - SKU 13022
---------------------	--

SKU	MODEL	PRICE
00000013020	KIT FOR HORIZONTAL UNDERGROUND TANK	€180.65 VAT EXCLUDED
00000013022	KIT FOR VERTICAL UNDERGROUND TANK	€173.15 VAT EXCLUDED





LPG Tank Kit

