

Magnetic Boiler Filter



Catalogues and Products > Heating > Defangatori Magnetici > Magnetic Boiler Filter

MAGNETIC BOILER FILTER

Model MINI DSBLUE.PL

Product informations

The *MINI DSBLUE.PL* magnetic filter is the best solution to solve the problems due to impurities present in the water, such as rust and sand, which are created as a result of corrosion and encrustations during the normal operation of a heating system. The filter guarantees continuous protection as it prevents micro-particles from circulating in the system, safeguarding the components such as the circulator and heat exchanger. For correct operation of the filter, it must be installed on the return circuit, in entrance to the boiler. It can be installed in vertical or horizontal position.

Product features

- thanks to its small size MINI DSBLUE.PL can be installed in confined spaces
- to be used only to treat water in circuits with a pH between 6,5 and 9,5









PRODUCT COMPOSITION		
1	BODY	
2	BALLVALVE	
3	OUTER COVER	
4	MAGNET	
5	TRANSPARENT TANK	
6	SEALS	
7	FILTERING MESH	
8	EXTENSIBLE FLEXIBLE HOSE	

Technical Features

TECHNICAL FEATURES			
CHEMICAL COMPATIBILITY	WATER / WATER AND GLYCOL		
MAX INLET PRESSURE	3 BAR		
WORKING TEMPERATURE	0 ÷ 90°C		
DEGREE OF FILTRATION	800?M		
THREADED CONNECTIONS	G 3/4" M/F UNI-EN ISO 228		
KV (RANGE WITH DP 1 BAR)	4,45 M ³ /H		
MAGNETIC FIELD INTENSITY	7000 GAUSS		
DIMENSIONS	58 X 120 X 90 MM (AXBXC)		









CONSTRUCTIVE FEATURES				
UNIT	CHROME-PLATED BRASS			
CONNECTIONS	CHROME-PLATED BRASS FG 3/4" / 3/4" M			
BALL VALVE	CHROME-PLATED BRASS			
FILTERING ELEMENT	AISI 304 STAINLESS STEEL MESH			
MAGNET	RUTHENIUM			
SEALS	EPDM			

SKU	MODEL	PRICE
00000070044	MAGNETIC BOILER FILTER MINI DSBLUE.PL	€54.3 VAT EXCLUDED





