



## Meter for Hot or Overheated Water Applications

Catalogues and Products > Riscaldamento > Contatori per Acqua > **Meter for Hot or Overheated Water Applications**

# METER FOR HOT OR OVERHEATED WATER APPLICATIONS

Volume meter suitable for applications with hot or overheated water

## Product informations

Hot water meter with dry dial with 8 numbered rolls.

## Product features

- horizontal installation only
- standard nominal pressure PN 16
- built with specific materials with high resistance to wear and corrosion
- equipped with read-switch pulse emitter cable with standard pulse weight K=10 for connection to a separate thermal energy calculation unit
- with multiple jet turbine, magnetic transmission
- MID homologated

## Technical Features

<i>SKU 70525</i>	
<i>MAX CAPACITY</i>	3 M <sup>3</sup> /H
<i>NORMAL CAPACITY</i>	1,5 M <sup>3</sup> /H
<i>MINIMUM CAPACITY</i>	30 L/H



## Meter for Hot or Overheated Water Applications

<i>SKU 70525</i>	
<i>MINIMUM READING</i>	0,05 L/H
<i>MAX PRESSURE</i>	16 BAR
<i>WORKING TEMPERATURE</i>	130°C
<i>DIAMETER</i>	Ø 1/2"
<i>LENGTH</i>	245 MM

<i>SKU 70526</i>	
<i>MAX CAPACITY</i>	5 M <sup>3</sup> /H
<i>NORMAL CAPACITY</i>	2,5 M <sup>3</sup> /H
<i>MINIMUM CAPACITY</i>	50 L/H
<i>MINIMUM READING</i>	0,05 L/H
<i>MAX PRESSURE</i>	16 BAR
<i>WORKING TEMPERATURE</i>	130°C
<i>DIAMETER</i>	Ø 3/4"
<i>LENGTH</i>	288 MM

<i>SKU 70527</i>	
<i>MAX CAPACITY</i>	7 M <sup>3</sup> /H
<i>NORMAL CAPACITY</i>	3,5 M <sup>3</sup> /H
<i>MINIMUM CAPACITY</i>	70 L/H



## Meter for Hot or Overheated Water Applications

SKU 70527	
MINIMUM READING	0,05 L/H
MAX PRESSURE	16 BAR
WORKING TEMPERATURE	130°C
DIAMETER	Ø 1"
LENGTH	378 MM

SKU	MODEL	PRICE
00000070525	METER FOR HOT OR OVERHEATED WATER - L. 245 MM - Ø 1/2"	€488.9 VAT EXCLUDED
00000070526	METER FOR HOT OR OVERHEATED WATER - L. 288 MM - Ø 3/4"	€504.55 VAT EXCLUDED
00000070527	METER FOR HOT OR OVERHEATED WATER - L. 378 MM - Ø 1"	€587.65 VAT EXCLUDED

