



PISTON PUMP SI-61

For condensing boilers

Product informations

SI-61, the piston pump for condensing boilers up to 50 kW, ideal for residential environments, equipped with a built-in tank designed to eliminate the acid condensate produced by condensing boilers.

Product features

- thanks to the new float it allows the removal of the particulate, making the pump completely reliable on condensing boilers
- the improved performance and high flow rate reduce the operation time and energy consumption of the pump
- compact size and low noise level
- resistant to acid condensates
- lockable plug-in power cable to prevent accidental disconnection

The kit includes

- piston pump **SI-61**
- integrated float detection unit
- 1,5 m plug-in power cable, 2 power wires, 2 safety contact wires
- rubber adapter (int. Ø 15-20-24-32-40 mm)
- 5 m of pipe (Ø int. 6 mm - 1/4")
- safe device emptying system
- self-sealing drain fitting
- 4 double wire spring clips
- 2 screws



Piston Pump SI-61

- 2 dowels

Technical Features

FLOW RATE	10 L/H
TANK CAPACITY	0,37 L
POWER SUPPLY	230 V 50/60 HZ - 100 W
MAXIMUM DELIVERY HEIGHT	4 M (FLOW RATE 4.5 L/H - < 50 KW)
MAXIMUM HEAD (0 FLOW)	8 M
SOUND LEVEL AT 1 M	≤ 28 DBA
SAFETY SWITCH	NC: 4 A RESISTIVO 250 V
INSULATION CLASS	DOUBLE INSULATION
DEGREE OF PROTECTION	IPX4 (PROTECTED AGAINST SPLASHING WATER FROM ANY DIRECTION)
APPLICATIONS	<ul style="list-style-type: none"> • FOR CONDENSING BOILERS UP TO 50 KW • SUITABLE FOR AIR CONDITIONING UNITS, UP TO 10 KW

SKU	MODEL	PRICE
00000011917	SI-61 PISTON PUMP	€240.05 VAT EXCLUDED



Piston Pump SI-61

