PORTABLE GAS DETECTORS

Models FG110 and CO110

Product informations

FG 110, the portable leak detector for natural gas, LPG and carbon monoxide, designed to provide efficient and reliable quality performance.

Product features

- easy to use
- indication of the gas leak in ppm, **%VOL** (limit concentration of gas (in the air) for the gas to catch fire or explode, expressed as a percentage by volume in the air) o **%LEL** (limit concentration of gas (in the air) necessary for the gas to ignite or explode)
- equipped with Hold-Min-Max function
- backlight
- alarm (from 1000 to 10000 ppm)
- configurable auto power off

Kit supplied with

- calibration report
- transport case
- Instructions for use

CO110, the portable carbon monoxide detector with a 4-line display that makes it easy to measure the carbon monoxide content of ambient air.

TECNOGAS
I percorsi della tecnologia.

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

Product features

- equipped with electro-chemical sensor
- display of CO max
- 2 configurable alarm thresholds
- easy to use
- adjustable backlighting
- adjustable and resettable auto switch-off
- Hold function

Kit supplied with

- calibration report
- transport case
- Instructions for use

Technical Features

SKU R02712	
DETECTABLE GASES	LPG / CH_4 / HYDROCARBONS
MEASURING ELEMENT	SEMI-CONDUCTOR SENSOR
PROBE	FLEXIBLE, LENGTH 330 MM, Ø 16 MM
POWER SUPPLY	4 BATTERIES AAA LR03 1.5 V
ENVIRONMENT	NEUTRAL GAS
WORKING TEMPERATURE	0°C ÷ + 50°C
AUTO SWITCH OFF	ADJUSTABLE FROM 0 TO 120 MIN

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

SKU R02712	
DISPLAY	• 4 LINES, LCD TECHNOLOGY - DIMENSIONS 50 X 36 MM • 2 LINES OF 5 DIGITS WITH 7 SEGMENTS (VALUE) • 2 LINES OF 5 DIGITS WITH 16 SEGMENTS (UNITS)
DEGREE OF PROTECTION	IP54 (PROTECTED AGAINST SPLASHING WATER FROM ANY DIRECTION AND PROTECTED AGAINST DUST, SUCH THAT IT CANNOT INTERFERE WITH THE OPERATION OF THE DEVICE)
CASE	ABS
KEYBOARD	5 KEYS
AUTONOMY	20 HOURS
DIMENSIONS	147,9 X 71,5 X 34,2 MM (HXWXD)
WEIGHT	295 G

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

SKU R02731	
MEASURING ELEMENTS	• CO - ELECTRO-CHEMICAL SENSOR • TEMPERATURE: NTC
DISPLAY	• 4 LINES, LCD TECHNOLOGY, DIMENSIONS 50 X 36 MM • 2 LINES OF 5 DIGITS WITH 7 SEGMENTS (VALUE) • 2 LINES OF 5 DIGITS WITH 16 SEGMENTS (UNITS)
CABLE	RETRACTABLE, LENGTH 0.45 M, EXTENSION 2.4 M
CASE	ABS - IP54 DEGREE OF PROTECTION (PROTECTED AGAINST SPLASHING WATER FROM ANY DIRECTION AND PROTECTED AGAINST DUST, SUCH THAT IT CANNOT INTERFERE WITH THE OPERATION OF THE DEVICE)
KEYBOARD	5 KEYS
POWER SUPPLY	4 X AAA LR03 1.5 V BATTERIES
BATTERY LIFE	200 HOURS
ENVIRONMENT	NEUTRAL GAS
WORKING TEMPERATURE	0°C ÷ + 50°C
STORAGE TEMPERATURE	- 20°C ÷ + 80°C
AUTO SWITCH-OFF	ADJUSTABLE FROM 0 TO 120 MIN
DIMENSIONS	71,5 X 147,9 X 34,2 X 76,7 MM (AXBXCXD)
WEIGHT	310 G

SKU	MODEL	PRICE
00000R02712	PORTABLE DETECTOR MOD. FG 110 - LPG / CH4 / HYDROCARBONS	€523.95 VAT EXCLUDED
00000R02731	PORTABLE DETECTOR MOD. CO110 - CO	€889.8 VAT EXCLUDED

TECNOGAS
I percorsi della tecnologia.
Via Marco Polo 33
35020 Albignasego
Padova – Italy
P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net





Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net