



## RECOVERY STATION

REC-12 and REC-12 COMPACT models

### Product informations

Recovery stations Mod. **REC-12** and **REC-12 COMPACT** equipped with two dry pressure gauges, one on the suction line and the other on the discharge line that allow to control the pressures during the recover and transfer operations of the refrigerant with method *PUSH-PULL*.

### Product features

- a single selector switch for the various functions of the recuperator, making your work easier and safer
- all stations are equipped with oil separator and the filter
- easy to transport thanks to the small dimensions and the central position of the handgrip
- suitable for all types of refrigerant gases CFC - HCFC - HFC

### Technical Features

MODEL	REC-12 (SKU 11715)	REC-12 COMPACT (SKU 11718)
COMPRESSOR	OIL LESS MAINTENANCE FREE	
POWER SUPPLY	230V - 50 HZ (1450 RPM)	
POWER	0,75 HP - 560 W	0,75 HP - 560 W
SAFETY	AUTOMATIC SHUT-DOWN WITH PRESSURE HIGHER THAN 38.5 BAR	
WEIGHT	18 KG	14,2 KG
DIMENSIONS	500X220X340 MM (WXDXH)	400X250X355 MM (WXDXH)



## Recovery Station

MODEL	REC-12 (SKU 11715)	REC-12 COMPACT (SKU 11718)
RECOVERY RATE	<ul style="list-style-type: none"> <li>• STEAM UP TO 15 KG/H</li> <li>• LIQUID UP TO 108 KG/H</li> <li>• PUSH-PULL UP TO 334 KG/H</li> </ul>	<ul style="list-style-type: none"> <li>• STEAM UP TO 15 KG/H</li> <li>• LIQUID UP TO 132 KG/H</li> <li>• PUSH-PULL UP TO 378 KG/H</li> </ul>
COMPATIBLE GASES	R12 - R134A - R410C - R406A - R500 - R22 - R401A - R401B - R402B - R407C - R407D - R408A R409A - R411A - R411B - R412A R502 - R509 - R402A - R404A - R407A - R407B - R410A - R507 - R32	R12 - R134A - R410C - R406A - R500 - R22 - R401A - R401B - R402B - R407C - R407D - R408A R409A - R411A - R411B - R412A R502 - R509 - R402A - R404A - R407A - R407B - R410A - R507 - R32

SKU	MODEL	PRICE
00000011569	FILTER DRIER	€40.6 VAT EXCLUDED
00000011715	RECOVERY STATION MOD. REC-12	€1778.8 VAT EXCLUDED
00000011718	RECOVERY STATION MOD. REC-12 COMPACT	€1743.8 VAT EXCLUDED





## Recovery Station

