



Catalogues and Products > Air-Conditioning > Vacuum and Charge Equipments > **Recovery Station**

RECOVERY STATION

REC-24 PRO model

Product informations

Recovery stations Mod. **REC-24 PRO** equipped with two glycerin-filled pressure gauges, one on the suction line and the other on the discharge line that allow to control the pressures during the recover. Designed to ensure high recovery efficiency, maximum operational reliability and ease of use thanks to a single control selector.

Main features

- a single selector for the various unit functions makes your work easier and safer
- compatible with **A1** and **A2L** class refrigerant gases
- compact structure and lightweight design (**9,5 kg**)
- single-cylinder version - 1HP / 2800RPM
- equipped with universal **filter drier** (SKU 11569)
- oil separator included
- glycerin-filled pressure gauges
- easy to transport thanks to the central handle and the included shoulder strap

Technical Features



Recovery Station

MODEL	REC-24 PRO
POWER SUPPLY	230V~ / 50-60 HZ
MOTOR POWER	1 HP
MOTOR SPEED	2800 RPM
MAX ELECTRICAL ABSORPTION	5A
COMPRESSOR	<ul style="list-style-type: none"> • TYPE: PISTON • COOLING: AIR • LUBRICATION: DRY
OPERATING TEMPERATURE	0° C ~ 40° C / 32° F ~ 104° F
WEIGHT	9,5 KG
DIMENSIONS	259 MM X 235 MM X 410 MM
REFRIGERANT GASES	<ul style="list-style-type: none"> • CAT. III - R12, R134A, R401C, R406A, R500, R1234YF • CAT. IV - R22, R401A, R401B, R402B, R407C, R407D, R408A, R409A, R411A, R411B, R412A, R502, R509 • CAT. V - R402A, R404A, R407A, R407B, R410A, R507, R32

RECOVERY CAPACITY (KG/MIN)	III	IV	V
VAPOR	0.22 KG/MIN	0.25 KG/MIN	0.25 KG/MIN
LIQUID	1.8 KG/MIN	2.0 KG/MIN	2.2 KG/MIN
PUSH/PULL	5.0 KG/MIN	6.0 KG/MIN	6.5 KG/MIN

SKU	MODEL	PRICE
00000011711	RECOVERY STATION MOD. REC-24 PRO	€1565.0 VAT EXCLUDED



Recovery Station

