



Catalogues and Products > Riscaldamento > Regolatori Metano/gpl per Applicazioni Civili - Industriali > **High, Medium and Low Pressure Regulators**

HIGH, MEDIUM AND LOW PRESSURE REGULATORS

Alfa 150 series, with balanced direct action regulation

Product informations

Alfa 150 series regulators balanced direct action, equipped with external sensing line, suitable for the use of not corrosive gases as methane and LPG. *Available complete with minimum and maximum pressure block valve downstream.*

Also available the minimum and maximum pressure shut-off valve (sku 2655).

Technical Features

FLOW RATE	SEE TABLE UNDERLYING
INLET CONNECTION	DN 150
OUTPUT CONNECTION	DN 150
INLET PRESSURE	<ul style="list-style-type: none"> • BP MODELS 0,5 ÷ 5 BAR (SKU 2651 / 2657) • MP MODELS 0,5 ÷ 5 BAR (SKU 2652 / 2658) • AP MODELS MAX 18 BAR (SKU 2653 / 2659)
OUTPUT PRESSURE	<ul style="list-style-type: none"> • BP MODELS 16 ÷ 320 MBAR (SKU 2651 / 2657) • MP MODELS 0,2 ÷ 1 BAR (SKU 2652 / 2658) • AP MODELS 0,8 ÷ 1,5 BAR (SKU 2653 / 2659)
ACCURACY CLASS	RG UP TO 5 / SG ± 10%
OPERATING TEMPERATURE	- 20°C ÷ + 60°C
EXTERNAL SENSING LINE	Ø 14



High, Medium and Low Pressure Regulators

MATERIALS	<ul style="list-style-type: none"> • BODY: CAST IRON GS 400 (SKU 2651 / 2652 / 2653) • BODY: STEEL (SKU 2657 / 2658 / 2659) • HEADER: STEEL • SEAL: NITRILE RUBBER NBR OR HNBR • MEMBRANE: SANDWICH RUBBERIZED FABRIC
DIMENSIONS	850 X 451 X 220 MM

FLOW RATE TABLE M³/H LOW PRESSURE MODELS (BP)

INLET PRESSURE

	0.2 BAR	0.3 BAR	0.5 BAR	1 BAR
25 MBAR	3261 M ³ /H	4090 M ³ /H	5411 M ³ /H	3024 M ³ /H
50 MBAR	3057 M ³ /H	3945 M ³ /H	5322 M ³ /H	7886 M ³ /H
100 MBAR	2558 M ³ /H	3612 M ³ /H	5122 M ³ /H	7900 M ³ /H
150 MBAR	1854 M ³ /H	3200 M ³ /H	4891 M ³ /H	7803 M ³ /H
200 MBAR	-	2673 M ³ /H	4821 M ³ /H	7693 M ³ /H

OUTLET PRESSURE



FLOW RATE TABLE M³/H MEDIUM PRESSURE MODELS (MP)		INLET PRESSURE			
		0.3 BAR	0.5 BAR	0.1 BAR	1.5 BAR
OUTLET PRESSURE	0.2 BAR	2673 M ³ /H	4621 M ³ /H	7693 M ³ /H	10140 M ³ /H
	0.3 BAR	-	3927 M ³ /H	7428 M ³ /H	10002 M ³ /H
	0.5 BAR	-	-	6681 M ³ /H	9616 M ³ /H
	0.7 BAR	-	-	5499 M ³ /H	9046 M ³ /H
	1 BAR	-	-	-	7702 M ³ /H

FLOW RATE TABLE M³/H HIGH PRESSURE MODELS (AP)		INLET PRESSURE			
		2 BAR	3 BAR	4 BAR	5 BAR
OUTLET PRESSURE	0.8 BAR	12090 M ³ /H	16573 M ³ /H	19085 M ³ /H	19085 M ³ /H
	1 BAR	10989 M ³ /H	16120 M ³ /H	20646 M ³ /H	24948 M ³ /H
	1.5 BAR	8609 M ³ /H	15137 M ³ /H	20151 M ³ /H	24706 M ³ /H
	2 BAR	-	13363 M ³ /H	19232 M ³ /H	24181 M ³ /H
	3 BAR	-	-	15404 M ³ /H	21978 M ³ /H

To obtain the flow rates in kg/h of LPG, multiply the values shown in red x 1.42.



High, Medium and Low Pressure Regulators

SKU	MODEL	PRICE
00000002651	REGULATOR SERIES ALFA 150 BP - DN 150 CONNECTIONS - OUTPUT 16 ÷ 320 MBAR - BODY IN GS400	€15401.4 VAT EXCLUDED
00000002652	REGULATOR SERIES ALFA 150 BP - DN 150 CONNECTIONS - OUTPUT 0,2 ÷ 1 BAR - BODY IN GS400	€15840.3 VAT EXCLUDED
00000002653	REGULATOR SERIES ALFA 150 BP - DN 150 CONNECTIONS - OUTPUT 0,5 ÷ 4 BAR - BODY IN GS400	€15840.3 VAT EXCLUDED
00000002655	MINIMUM AND MAXIMUM PRESSURE SHUT-OFF VALVE	€1436.4 VAT EXCLUDED
00000002657	REGULATOR SERIES ALFA 150 BP - DN 150 CONNECTIONS - OUTPUT 16 ÷ 320 MBAR - STEEL BODY	€17855.25 VAT EXCLUDED
00000002658	REGULATOR SERIES ALFA 150 BP - DN 150 CONNECTIONS - OUTPUT 0,2 ÷ 1 BAR - STEEL BODY	€18114.6 VAT EXCLUDED
00000002659	REGULATOR SERIES ALFA 150 BP - DN 150 CONNECTIONS - OUTPUT 0,5 ÷ 4 BAR - STEEL BODY	€18373.95 VAT EXCLUDED

