



Catalogues and Products > Riscaldamento > Regolatori Gpl Alta e Bassa Pressione per Applicazioni Civili-industriali > **Low Pressure Regulator with Manual Setting**

LOW PRESSURE REGULATOR WITH MANUAL SETTING

Model with safety relief valve incorporated, flow rate 20 and/or 40 kg/h

Product informations

Low pressure regulator for LPG with manual setting and safety relief valve incorporated; designed to make the gas pressure leaving a tank suitable for the downstream user.

Technical Features


TYPES OF GAS	LPG
FLOW RATE	<ul style="list-style-type: none"> • 20 KG - SKU 1010 • 40 KG - SKU 1110
OPERATING TEMPERATURE	- 20°C ÷ + 50°C
INLET PRESSURE	<ul style="list-style-type: none"> • 1,2 ÷ 7,5 BAR - SKU 1010 • 0,5 ÷ 4 BAR - SKU 1110
OUTLET PRESSURE	<ul style="list-style-type: none"> • 20 ÷ 200 MBAR - SKU 1010 • 10 ÷ 200 MBAR - SKU 1110
CONNECTIONS	<ul style="list-style-type: none"> • IN 1/2" F - OUT 3/4" F - SKU 1000 • IN 3/4" F - OUT 1" F - SKU 1100
OVERFLOW VALVE CONNECTION	G 1/4"
MATERIALS SKU 1010	<ul style="list-style-type: none"> • BODY AND COVER: ALUMINUM ALLOY • DIAPHRAGM AND GASKETS: LPG RESISTANT ELASTOMER



Low Pressure Regulator with Manual Setting

MATERIALS SKU 1110	<ul style="list-style-type: none"> • BODY AND COVER: DIE-CAST ALUMINUM ALLOY, ACCORDING TO EN 1706 RULE • DIAPHRAGM AND GASKETS: NITRILE RUBBER COMPLIANT WITH EN 549
---------------------------	---

SKU	MODEL	PRICE
00000001010	LOW PRESSURE REGULATOR MOD. 2302 - IN 1/2" F - OUT 3/4" F - FLOW RATE 20 KG/H	€328.45 VAT EXCLUDED
00000001110	LOW PRESSURE REGULATOR MOD. 2403 - IN 1/2" F - OUT 1" F - FLOW RATE 40 KG/H	€385.35 VAT EXCLUDED
00000001115	CAP AND SPRING FOR REGULATOR MOD. 2302	€75.0 VAT EXCLUDED
00000001116	CAP AND SPRING FOR REGULATOR MOD. 2403	€75.0 VAT EXCLUDED





Low Pressure Regulator with Manual Setting

