



Catalogues and Products > Riscaldamento > Regolatori Metano/gpl per Applicazioni Civili - Industriali > **Dual Stage Methane Gas Regulator**

DUAL STAGE METHANE GAS REGULATOR

FE model

Product informations

Dual stage regulator for methane FE model, complete with minimum and maximum shut-off device and flow rate limiter; complete with inlet filter.

Also available the kit of change springs (*sku 40104*) and the conical or cylindrical fittings for installing the regulator (*sku 40100 / 40102 / 40103*).

Technical Features



Dual Stage Methane Gas Regulator

SKU	MODEL	FLOW RATE	CONNECTIONS	MAXIMUM INLET PRESSURE	OUTPUT PRESSURE	STANDARD SETTING	WORKING ROOM TEMPERATURE	MATERIALS
40053	FE 10 - LINE VERSION "L"	10 M ³ /H	IN 3/4" F.G. - OUT 1" F	5 BAR (MIN. 0,2 BAR)	25 ÷ 150 MBAR	20 MBAR (18 ÷ 25)	- 20°C ÷ + 60°C	<ul style="list-style-type: none"> • DIAPHRAGM AND SEALING RINGS: NITRILE RUBBER • CAPS AND PLATE: PLASTIC • SPRINGS: STEEL • BODY, COVERS AND POSITION: ZAMAK METAL ALLOY
40054	FE 10 - SQUARE VERSION "S"	10 M ³ /H	IN 3/4" F.G. - OUT 1" 1/4 F.G.					
40055	FE 25 - LINE VERSION "L"	25 M ³ /H	IN 3/4" F.G. - OUT 1" F					
40056	FE 50 - LINE VERSION "L"	40 M ³ /H	IN 3/4" F.G. - OUT 1" F					

SKU	MODEL	PRICE
00000040053	GAS REGULATOR FE 10 "L" MODEL - IN 3/4" F.G. - OUT 1" F - FLOW RATE 10 M3/H	€212.6 VAT EXCLUDED
00000040054	GAS REGULATOR FE 10 "S" MODEL - IN 3/4" F.G. - OUT 1" 1/4 F.G. - FLOW RATE 10 M3/H	€212.6 VAT EXCLUDED
00000040055	GAS REGULATOR FE 25 "L" MODEL - IN 3/4" F.G. - OUT 1" F - FLOW RATE 25 M3/H	€219.1 VAT EXCLUDED
00000040056	GAS REGULATOR FE 50 "L" MODEL - IN 3/4" F.G. - OUT 1" F - FLOW RATE 40 M3/H	€353.1 VAT EXCLUDED



Dual Stage Methane Gas Regulator





Dual Stage Methane Gas Regulator

