



PVC FLEXIBLE DUCT

Model single layer

Product informations

PVC FLEXIBLE DUCT - 10 M

Flexible ducting made of a single layer of durable PVC copolymer, reinforced with an encapsulated high-tensile steel wire spiral helix. Suitable for multiple applications, it can be installed on round and oval connection pieces. Its high mechanical strength allows it to withstand prolonged vibrations.

Use: Venting, Air Conditioning

Technical Features

<i>COLOR</i>	BLACK
<i>OPERATING TEMPERATURE</i>	-30°C ÷ 70°C
<i>MAX OPERATING PRESSURE</i>	UP TO 2500 PA
<i>MAX AIR VELOCITY</i>	25 M/S
<i>LENGHT</i>	10 M
<i>FIRE REACTION</i>	-



PVC flexible duct

SKU	DIAMETRO	VELOCITÀ ARIA 8 MT/SEC		VELOCITÀ ARIA 10 MT/SEC	
		PORTATA ARIA M ³ /H	PERDITA DI CARICO IN PA	PORTATA ARIA M ³ /H	PERDITA DI CARICO IN PA
65025	Ø 82 MM	152	19	190	31
65026	Ø 102 MM	250	15	333	24
65027	Ø 127 MM	383	12	368	18
65028*	Ø 152 MM	-	-	-	-
65029	Ø 160 MM	575	8	773	14
65031	Ø 203 MM	900	6,5	1151	10,5
65033	Ø 254 MM	1445	4,7	1843	7,5
65034*	Ø 305 MM	-	-	-	-
65035	Ø 315 MM	2278	3,7	3105	6

**To calculate the airflow rates and pressure losses for other diameters, please refer to the chart available in the downloads below under the "Others" section.*

SKU	MODEL	PRICE
00000065025	SIMPLE PVC FLEXIBLE DUCT - Ø 82 MM	€5.75 VAT EXCLUDED
00000065026	SIMPLE PVC FLEXIBLE DUCT - Ø 102 MM	€5.8 VAT EXCLUDED
00000065027	SIMPLE PVC FLEXIBLE DUCT - Ø 127 MM	€7.15 VAT EXCLUDED
00000065028	SIMPLE PVC FLEXIBLE DUCT - Ø 152 MM	€8.0 VAT EXCLUDED
00000065029	SIMPLE PVC FLEXIBLE DUCT - Ø 160 MM	€8.3 VAT EXCLUDED
00000065031	SIMPLE PVC FLEXIBLE DUCT - Ø 203 MM	€10.75 VAT EXCLUDED
00000065033	SIMPLE PVC FLEXIBLE DUCT - Ø 254 MM	€13.8 VAT EXCLUDED
00000065034	SIMPLE PVC FLEXIBLE DUCT - Ø 305 MM	€17.3 VAT EXCLUDED
00000065035	SIMPLE PVC FLEXIBLE DUCT - Ø 315 MM	€17.95 VAT EXCLUDED



PVC flexible duct

