



Catalogues and Products > Heating > Level Indicators and Accessories > **Smokes Pyrometer**

SMOKES PYROMETER

For thermal systems

Product informations

Smokes pyrometer equipped with galvanized steel case and rear connection with front ring in chromed steel; suitable for installation in the pipes of heating systems, flues, ovens or where high temperatures are present and required.

Spring for fixing is also available (SKU R01575).

Technical Features

<i>SKU R02068 / R02073 / R02074</i>	
OPERATING TEMPERATURE	<ul style="list-style-type: none"> • ENVIRONMENT: - 20°C ÷ + 60°C • FLUID: 0°C ÷ + 500°C • STORAGE: - 20°C ÷ + 60°C
ACCURACY CLASS	CL. 2
DEGREE OF PROTECTION	IP43 PER EN 60 529 / IEC 529 (PROTECTED AGAINST WATER SPRAYED AT AN ANGLE WITHIN ± 60° AND PROTECTED AGAINST THE ENTRY OF SOLID OBJECTS LARGER THAN 1 MM)
MATERIALS	<ul style="list-style-type: none"> • CASE IN GALVANIZED STEEL • CHROMED STEEL RING • STEM IN GALVANIZED STEEL Ø 9 MM, WITHOUT SHEATH


Smokes Pyrometer
SKU R02068 / R02073 / R02074

THERMOMETRIC ELEMENT	BIMETALLIC SPIRAL
STEM DIMENSIONS	FROM 150 MM TO 300 MM
QUADRANT DIAMETER	Ø 63 MM
WEIGHT	0.095 KG
REFERENCE RULE	EN 13190

SKU R01575

MATERIAL	GALVANIZED BURNISHED STEEL FOR STEM ≥ 50 MM
WEIGHT	0.010 KG

SKU	MODEL	PRICE
00000R01575	SPRING	€1.6 VAT EXCLUDED
00000R02068	PYROMETER - STEM 150 MM	€13.45 VAT EXCLUDED
00000R02073	PYROMETER - STEM 200 MM	€15.75 VAT EXCLUDED
00000R02074	PYROMETER - STEM 300 MM	€17.25 VAT EXCLUDED



Smokes Pyrometer

