TECNOWATER PC-12A MINI PUMP

For condensate drain

Product informations

The compact and silent ***TECNOWATER PC-12A*** mini pump is installed under wall air conditioners and, thanks to its rounded shape, it adapts to any type of environment. The mini pump is equipped with a thermal protector in case of overheating, a double insulation that protects it from electric shocks and an integrated tank with overflow.

N°	*DESCRIPTION*
1	TANK
2	FLOAT
3	MIDDEL PANEL
4	DISCHARGE FITTING
5	PUMP COVER
6	FIXING SCREWS
7	POWER SUPPLY
8	CABLE LOCKER
9	LED INDICATOR
10	ENGINE
11	SENSOR CABLE

TECNOGAS
I percorsi della tecnologia.

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net

N°	DESCRIPTION
12	ASPIRATION PIPE
13	MOUNTING PLATE

Technical Features

MAXIMUM FLOW RATE	24 L/H
POWER SUPPLY	100-230 V 50-60 HZ
MAX SPLIT POWER	8 KW
DRAIN LENGHT	10 M
MAX ASPIRATION	10 M
SOUND LEVEL	19 DBB (A)
TANK CAPACITY	200 ML
THERMAL PROTECTION	0°C ÷ + 50°C
WORKING TEMPERATURE	0°C ÷ + 50°C
DIMENSIONS	200X76X120 MM (WXDXH)

SKU	MODEL	PRICE
00000011945	TECNOWATER PC-12A MINI PUMP	**€111.9 VAT EXCLUDED**

TECNOGAS
I percorsi della tecnologia.

Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net


TECNOWATER PC-12A Mini Pump











Via Marco Polo 33
35020 Albignasego
Padova – Italy

P.IVA: 03859580288
Tel: +39 049 8625910
Mail: info@tecnogas.net