



Two Stage Battery Vacuum Pump

Catalogues and Products > Air-Conditioning > Attrezzature per Vuoto e Carico > **Two Stage Battery Vacuum Pump**

TWO STAGE BATTERY VACUUM PUMP

Model DS PRO-1 Li

Product informations

Two stage battery vacuum pump Mod. **DS PRO-1 Li** designed to realize vacuum in air conditioning and refrigeration systems, **except on systems containing class A3 refrigerant gases.**

Product features

- equipped with compartment for AEG 18V battery
- practical and anti-leakage oil design
- built-in solenoid valve
- special design anti-injection
- easy-to-view vacuum gauge
- wide oil level control checking glass
- supplied with the oil needed for its operation and 3 adapters (*for Dewalt, Milwaukee and Makita batteries*)

PUMP COMPONENTS	
1	AIR INLET CONNECTION
2	CHECKING GLASS (OIL LEVEL)
3	OIL DRAIN CAP
4	ANTI-SLIP BASE



Two Stage Battery Vacuum Pump

PUMP COMPONENTS

5	MOTOR
6	POWER SWITCH
7	PUMP BODY
8	BALLAST VALVE / OIL FILLING
9	HANDLE
10	BATTERY SEAT

Technical Features

ELECTRICAL SPECIFICATIONS	18V
STAGES	2
MAXIMUM FLOW RATE	58 L/MIN
FINAL VACUUM	15 MICRON
CONNECTIONS	1/4" SAE
POWER	1/4 HP (180W)
OIL CAPACITY	280 ML
WEIGHT	5,7 KG

DIMENSIONS

A	B	C	D	E	F	G	H	I
172 MM	55 MM	360 MM	105 MM	162 MM	54 MM	74 MM	200 MM	123 MM



Two Stage Battery Vacuum Pump

SKU	MODEL	PRICE
00000011186	TWO STAGE BATTERY VACUUM PUMP MOD. DS PRO-1 LI	€396.25 VAT EXCLUDED





Two Stage Battery Vacuum Pump

